FLOS

F4633009 White


Overlap Suspension 1

Designed by Michael Anastassiades, 2018



Halogen - 105W

Suspended lamp with diffused light. Internal structure in white powder painted steel. Resin diffuser Cocoon sprayed on the structure, with a transparent protection created by spraying at the end of the machining, ring for substitution of printed steel diffuser in Polished, Gold-plated "Galvanic" finish. Die-cast rose in Zama Polished and Gold-plated "Galvanic" finish.



Are you a professional and your project needs consulting and support?

BOOK AN APPOINTMENT

Main specifications

EAN	8059607020098
Mounting	Suspension
Environments	Indoor dry location
Light source type	Bulb
Light sources included	No
Lamp category	Halogen
Lamp holders	E27
Ilcos	HSGS
Number of lamps	1
Power (W)	105

Physical

Colour	White
Length (mm)	655
Cord colour	White
Cord length (mm)	2700
Canopy colour	Gold
Canopy length/diameter (mm)	113
Canopy height (mm)	32
Net weight (kg)	5.6
Package height (mm)	1000
Package width (mm)	650
Package length (mm)	650
Package volume (m3)	0.42
IP internal	20

Download

Mounting instructions PDF

Mounting instructions PDF

©2022 Flos - P.IVA 00290820174 - 12/3/2025

In our constantly evolving world and business, technical upgrades happen every day. This means all product specifications and data are subject to change without warning in order t improve reliability, function, performance or otherwise. We make every effort to ensure the accuracy of our product images, however due to different lighting and screens used for viewing, the colours may vary. Images are indicative of the quality and style of the product but may not represent the precise details of the product you receive. This is because we are constantly working to make improvements. For aesthetic reasons, cables and/or electrical elements are often not shown. Refer to technical data sheets for all technical data. Images and colours are not part of any contract or warranty in any way.

Photometric

Light distribution	Asymmetric
Extreme cut off	No

Electrical

Insulation class	I
Frequency (Hz)	50/60
Main voltage (Vac)	220-250
Dimmable	Yes
Dimming interface	Remote Dimmable (Dimmer Not Included)
Batteries inside	No

©2022 Flos - P.IVA 00290820174 - 12/3/2025

In our constantly evolving world and business, technical upgrades happen every day. This means all product specifications and data are subject to change without warning in order t improve reliability, function, performance or otherwise. We make every effort to ensure the accuracy of our product images, however due to different lighting and screens used for viewing, the colours may vary. Images are indicative of the quality and style of the product but may not represent the precise details of the product you receive. This is because we are constantly working to make improvements. For aesthetic reasons, cables and/or electrical elements are often not shown. Refer to technical data sheets for all technical data. Images and colours are not part of any contract or warranty in any way.

Bulbs



NOT INCLUDED

RF32288

LED Lamp E27 15W 2700K T38



NOT INCLUDED


RF32289

LED Lamp E27 15W 3000K T38

©2022 Flos - P.IVA 00290820174 - 12/3/2025

In our constantly evolving world and business, technical upgrades happen every day. This means all product specifications and data are subject to change without warning in order t improve reliability, function, performance or otherwise. We make every effort to ensure the accuracy of our product images, however due to different lighting and screens used for viewing, the colours may vary. Images are indicative of the quality and style of the product but may not represent the precise details of the product you receive. This is because we are constantly working to make improvements. For aesthetic reasons, cables and/or electrical elements are often not shown. Refer to technical data sheets for all technical data. Images and colours are not part of any contract or warranty in any way.

Spare Parts



01.	Complete rose	RF4630159
02.	Kit with screws and allen key	RF3160100
03.	3 mt steel cable ø1,2 with 19 winded wires	RF29665
03.	4mt steel wire Ø1,2 with 19 winded wires	RF01089

©2022 Flos - P.IVA 00290820174 - 12/3/2025

In our constantly evolving world and business, technical upgrades happen every day. This means all product specifications and data are subject to change without warning in order t improve reliability, function, performance or otherwise. We make every effort to ensure the accuracy of our product images, however due to different lighting and screens used for viewing, the colours may vary. Images are indicative of the quality and style of the product but may not represent the precise details of the product you receive. This is because we are constantly working to make improvements. For aesthetic reasons, cables and/or electrical elements are often not shown. Refer to technical data sheets for all technical data. Images and colours are not part of any contract or warranty in any way.



RF4630159

Complete rose



RF3160100

Kit with screws and allen key



RF29665

3 mt steel cable ø1,2 with 19 winded wires



RF01089

4mt steel wire Ø1,2 with 19 winded wires

©2022 Flos - P.IVA 00290820174 - 12/3/2025

In our constantly evolving world and business, technical upgrades happen every day. This means all product specifications and data are subject to change without warning in order t improve reliability, function, performance or otherwise. We make every effort to ensure the accuracy of our product images, however due to different lighting and screens used for viewing, the colours may vary. Images are indicative of the quality and style of the product but may not represent the precise details of the product you receive. This is because we are constantly working to make improvements. For aesthetic reasons, cables and/or electrical elements are often not shown. Refer to technical data sheets for all technical data. Images and colours are not part of any contract or warranty in any way.